GENERAL & ELECTRICAL CONTRACTOR

Temporary Electrical Service Agreement

he pa	rties to this a	agreement are:		
			(Lic	ensed General Contractor) and
o citi	os of Chatta	nooge Soddy Deisy	(Lic , Signal Mountain, and Hamilton County	ensed Electrical Contractor) and
			, Signai Mountain, and Hammon County20	y, Tennessee. This agreement is entered
/hereacted		s to this agreement d	lesire to receive permission to energize e	electrical service on certain property
			temporary certificate for power only freded for completion of construction.	om the Office of Building Inspection.
onstru he Di	iction requir	ements are met at fir	rtment will allow electrical service to thin all inspection and a certificate of occupanis designee has the option to renew this	ancy is issued within ninety (90) days.
		Now therefor	re all parties to this Agreement agr	ree as follows;
 2. 3. 4. 6. 	to the above and a certificate of connection Code. In the even (60) day exelectrical selectrical selec	e referenced properticate of occupancy is cal circuits installed additional breakers eyond the approved nalties outlined in pacal Inspector has instead within this time ped General Contracted within this time ped Gody Daisy or Handon for electrical serior occupancy has be shall be maintained to that the certificate attension has been givervice Agreement shall of occupancy has be shall be referenced to the certificate attension has been givervice Agreement shall be maintained to the certificate attension has been givervice Agreement shall be maintained to the certificate attension has been givervice Agreement shall be maintained to the certificate attension has been givervice Agreement shall be maintained to the certificate attension has been givervice and the certificate attension has been givervice at the certificate	tor and Licensed Electrical Contractor shall be provided that all other construction reals issued within ninety (90) days. In at this time must be G.F.C.I. protected, may be installed without prior approval circuits, prior to reinspection, will be in aragraph (6). Spected the current electrical wiring on the cursuant to all current city or county code for and Licensed Electrical Contractor agreeiod in accordance with the ordinances while in a contractor and the National Electrical vice under this agreement shall not be tracen obtained from the Office of Building as long as it remains in good repair and of occupancy has not been issued within ven or in the event of any breach of this hall terminate upon written notice by the remporary Electrical Service Agreement	with the exception of the HVAC and reinspection. Any breakers violation of this Agreement and will his property and has determined that it es. gree that all construction shall be s of the cities of Chattanooga, Signal all Code. ansferable to any other party. After a Inspection, any electrical service does not violate the National Electrical in ninety (90) days or an approved sixty Agreement by either contractor, this Director of Building & Zoning or the
	This	day of		, 20
— Lio	ensed Gene	ral Contractor	Licensed Electrical Contractor	Director or Designee

Procedures for Temporary Power To Structure

Prior to requesting temporary power the following must be completed

- All rough-in inspections completed
- Sheetrock must be hung in entire structure
- Permanent service complete
- A minimum of one 110 volt GFCI circuit installed with cover
- A minimum of one 220 volt GFCI circuit installed with cover
- HVAC circuit may be installed only if disconnects are in place.
- Breakers to be installed only on above circuit.

Trim-out and lights may be installed, but no additional circuit breakers may be installed unless prior approval and inspection has been completed by the building official or his designee.

A final inspection and Certificate of Occupancy must be issued prior to building being occupied.

Any violation in the requirements listed above or in the Temporary Electrical Service Agreement contract may result in the forfeiture of temporary power for one (1) year.